

False-name-Proof Combinatorial Auction Mechanisms (extended abstract)

Makoto Yokoo

Faculty of Information Science and Electrical Engineering

Kyushu University

744 Motooka, Nishi-ku, Fukuoka, 819-0395 Japan

e-mail: yokoo@is.kyushu-u.ac.jp

url: lang.is.kyushu-u.ac.jp/~yokoo/

1. MODEL OF FALSE-NAME BIDS

Although the Internet provides an excellent infrastructure for executing combinatorial auctions, we must consider the possibility of new types of cheating. For example, a bidder may try to profit from submitting false bids under fictitious names such as multiple e-mail addresses. Such an action is very difficult to detect since identifying each participant on the Internet is virtually impossible. We call a bid made under a fictitious name a *false-name bid*.

False-name bids are modeled as follows.

- Each bidder can use multiple identifiers.
- Each identifier is unique and cannot be impersonated, i.e., a bidder cannot use identifiers that belong to other bidders.
- Nobody (except the owner) knows whether two identifiers belongs to the same bidder or not.

The goal is to design a false-name-proof mechanism, i.e., a mechanism in which using false names is useless, thus bidders voluntarily refrain from using false names.

The problems resulting from collusion have been discussed by many researchers. Compared to collusion, a false-name bid is easier to execute on the Internet since getting another identifier such as another e-mail address, is quite inexpensive. False-name bids can be considered as a very restricted subclass of collusion, where bidder i can collude with other bidders only if these bidders are not interested in participating the auction initially. These bidders act in behalf of bidder i and get some side payment.

A concept called *group-strategy-proof* is proposed to study another restricted subclass of general collusion [Muller and Satterthwaite 1985; Moulin and Shenker 1996]. Group-strategy-proof and false-name-proof are independent concepts, i.e., a group-strategy-proof mechanism is not necessarily false-name-proof, and vice versa.

2. VULNERABILITY OF VCG

Vickrey-Clarke-Groves mechanism (a.k.a. Generalized Vickrey Auction protocol) is (dominant strategy) incentive compatible, i.e., for each bidder, truth-telling is a dominant strategy (a best strategy regardless of the action of other bidders) if there

Dagstuhl-Seminar, Computational Foundations of Social Choice, March 2010

exists no false-name bid. However, when false-name bids are possible, truth-telling is no longer a dominant strategy, i.e., the VCG is not false-name-proof.

Let us consider the following situation.

EXAMPLE 2.1. Assume there are two goods a and b , and three bidders, bidder 1, 2, and 3. The evaluation value for a bundle is determined as follows.

	$\{a\}$	$\{b\}$	$\{a, b\}$
bidder 1	\$6	\$0	\$6
bidder 2	\$0	\$0	\$8
bidder 3	\$0	\$5	\$5

By using the VCG, good a is allocated to bidder 1, and b is allocated to bidder 3. Bidder 1 pays \$3 and bidder 3 pays \$2.

Let us consider another situation.

EXAMPLE 2.2. Assume there are only two bidders, bidder 1 and 2. The evaluation value for a bundle is determined as follows.

	$\{a\}$	$\{b\}$	$\{a, b\}$
bidder 1	\$6	\$5	\$11
bidder 2	\$0	\$0	\$8

In this case, the bidder 1 can obtain both goods, but he/she requires to pay \$8, since if bidder 1 does not participate, the social surplus would have been \$8. When bidder 1 does participate, bidder 1 takes everything and the social surplus except bidder 1 becomes 0. Thus, bidder 1 needs to pay the decreased amount of the social surplus, i.e., \$8.

However, bidder 1 can use another identifier, namely, bidder 3 and creates a situation identical to Example 2.1. Then, good a is allocated to bidder 1, and b is allocated to bidder 3. Bidder 1 pays \$3 and bidder 3 pays \$2. Since bidder 3 is a false-name of bidder 1, bidder 1 can obtain both goods by paying \$3+\$2=\$5. Thus, using a false-name is profitable for bidder 1.

3. KEY RESULTS

The effects of false-name bids on combinatorial auctions are analyzed in [Yokoo et al. 2004]. The obtained results can be summarized as follows.

- As shown in the above example, the VCG is not false-name-proof.
- There exists no false-name-proof combinatorial auction protocol that satisfies Pareto efficiency.
- If a surplus function of bidders satisfies a condition called *concavity*, then the VCG is guaranteed to be false-name-proof.

Also, a series of mechanisms that are false-name-proof in various settings have been developed: combinatorial auction mechanisms [Yokoo et al. 2001a; Yokoo

2003], multi-unit auction mechanisms [Iwasaki et al. 2005; Terada and Yokoo 2003; Yokoo et al. 2001b], double auction mechanisms [Sakurai and Yokoo 2002; 2003; Yokoo et al. 2005], and combinatorial procurement auctions [Suyama and Yokoo 2005].

An auction mechanism consists of an allocation rule and a payment rule. There have been several studies on characterizing strategy-proof allocation rules. Lavi *et al.* [Lavi et al. 2003] and Bikhchandani *et al.* [Bikhchandani et al. 2006] proposed *weak-monotonicity* and showed that it is a necessary and sufficient condition for strategy-proof mechanisms when several assumptions hold on the domain of types.

Similarly, we showed that if (and only if) an allocation rule satisfies a condition called *sub-additivity*, we can guarantee that there exists an appropriate payment rule so that the mechanism becomes false-name-proof, i.e., sub-additivity fully characterizes false-name-proof allocation rules [Todo et al. 2009]. Also, we examined a theoretical bound on the efficiency loss of false-name-proof mechanisms and developed a mechanism whose worst-case efficiency loss matches the theoretical bound [Iwasaki et al. 2010].

In [Ausubel and Milgrom 2005], several limitations of the VCG including the vulnerability to false-name bids are discussed. Also, in [Rastegari et al. 2007], the connection between false-name-proofness and another property called *revenue monotonicity* is discussed.

REFERENCES

- AUSUBEL, L. M. AND MILGROM, P. R. 2005. The lovely but lonely vickrey auction. In *Combinatorial Auctions*, P. Cramton, R. Steinberg, and Y. Shoham, Eds. MIT Press.
- BIKHCHANDANI, S., CHATTERJI, S., LAVI, R., MU'ALEM, A., NISAN, N., AND SEN, A. 2006. Weak monotonicity characterizes deterministic dominant-strategy implementation. *Econometrica* 74, 4, 1109–1132.
- IWASAKI, A., OMORI, Y., SAKURAI, Y., YOKOO, M., CONITZER, V., AND GUO, M. 2010. Worst-case efficiency ratio in false-name-proof combinatorial auction mechanisms. In *Proceedings of the Ninth International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS-2010)*. to appear.
- IWASAKI, A., YOKOO, M., AND TERADA, K. 2005. A robust open ascending-price multi-unit auction protocol against false-name bids. *Decision Support Systems* 39, 23–39.
- LAVI, R., MU'ALEM, A., AND NISAN, N. 2003. Towards a characterization of truthful combinatorial auctions. In *FOCS*. 574–583.
- MOULIN, H. AND SHENKER, S. 1996. Strategyproof sharing of submodular costs: budget balance versus efficiency. <http://www.aciri.org/shenker/cost.ps>.
- MULLER, E. AND SATTERTHWAITE, M. A. 1985. Strategy-proofness: the existence of dominant-strategy mechanisms. In *Social Goals and Social Organization*, L. Hurwicz, D. Schmeidler, and U. Sonnenschein, Eds. Cambridge University Press, 131–171.
- RASTEGARI, B., CONDON, A., AND LEYTON-BROWN, K. 2007. Revenue monotonicity in combinatorial auctions. In *Proceedings of the 22nd Conference on Artificial Intelligence (AAAI-2009)*. 122–127.
- SAKURAI, Y. AND YOKOO, M. 2002. An average-case budget-non-negative double auction protocol. In *Proceedings of the First International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS-2002)*. 104–111.
- SAKURAI, Y. AND YOKOO, M. 2003. A false-name-proof double auction protocol for arbitrary evaluation values. In *Proceedings of the Second International Joint Conference on Autonomous Agents and Multiagent Systems (AAMAS-2003)*. 329–336.
- SUYAMA, T. AND YOKOO, M. 2005. Strategy/false-name proof protocols for combinatorial multi-attribute procurement auction. *Autonomous Agents and Multi-Agent Systems* 11, 1, 7–21.

- TERADA, K. AND YOKOO, M. 2003. False-name-proof multi-unit auction protocol utilizing greedy allocation based on approximate evaluation values. In *Proceedings of the Second International Conference on Autonomous Agents and Multiagent Systems (AAMAS-2003)*. 337–344.
- TODO, T., IWASAKI, A., YOKOO, M., AND SAKURAI, Y. 2009. Characterizing false-name-proof allocation rules in combinatorial auctions. In *Proceedings of the Eighth International joint Conference on Autonomous Agents and Multiagent Systems (AAMAS-2009)*. 265–272.
- YOKOO, M. 2003. The characterization of strategy/false-name proof combinatorial auction protocols: Price-oriented, rationing-free protocol. In *Proceedings of the 18th International Joint Conference on Artificial Intelligence (IJCAI-2003)*. 733–739.
- YOKOO, M., SAKURAI, Y., AND MATSUBARA, S. 2001a. Robust combinatorial auction protocol against false-name bids. *Artificial Intelligence* 130, 2, 167–181.
- YOKOO, M., SAKURAI, Y., AND MATSUBARA, S. 2001b. Robust multi-unit auction protocol against false-name bids. In *Proceedings of the 17th International Joint Conference on Artificial Intelligence (IJCAI-2001)*. 1089–1094.
- YOKOO, M., SAKURAI, Y., AND MATSUBARA, S. 2004. The effect of false-name bids in combinatorial auctions: New fraud in Internet auctions. *Games and Economic Behavior* 46, 1, 174–188.
- YOKOO, M., SAKURAI, Y., AND MATSUBARA, S. 2005. Robust double auction protocol against false-name bids. *Decision Support Systems* 39, 23–39.